

Bharat Photon®
where sensors mean  'India'

Class of it's own
**WASHROOM HYGIENE
SENSOR PRODUCTS SPECIALIST**



2024
FINESSE FOREVER
PRICE LIST | CATALOGUE


www.bharatphoton.com



Get all washroom hygiene sensors

UNDER ONE ROOF



Bharat Photon[®]
where sensors mean  'India'



Think beyond elegance and think beyond functionality.
Think **Hygiene** Think **BHARAT PHOTON**.

Feature rich **BHARAT PHOTON** products masters shapes,
style, flow and handling as a beautified incarnation.
The range is wide in combinations and varieties.

Timeline

A history of MILES

1983

BPE INNOVATIONS PVT. LTD.
ESTABLISHED THE FIRM
BHARAT PHOTON ELECTRONICS
IN KOTDWAR - UTTARAKHAND

1991

BPE INNOVATIONS PVT. LTD.
DEVELOPED HI-TECH RANGE OF
PHOTO ELECTRIC SENSORS
FOR RAPIDLY GROWING INDUSTRIAL
AUTOMATION SECTOR

1997

BPE INNOVATIONS PVT. LTD.
INTRODUCED NEW RANGE OF
“WASHROOM HYGIENE SENSORS”

2004

BPE INNOVATIONS PVT. LTD.
BECAME THE FIRST INDIAN
MANUFACTURER TO CATALOG
HIGHEST RANGE OF PRODUCTS
IN INDUSTRIAL AUTOMATION &
WASHROOM AUTOMATION
SECTOR

2009

BPE INNOVATIONS PVT. LTD.
LAUNCHED “NEW RANGE OF
BATTERY OPERATED
WASHROOM SENSORS”

TONES

2023

BPE INNOVATIONS PVT. LTD.

STARTED NEW STATE-OF-THE-ART
FACILITY WITH ENHANCED PRODUCTION,
R&D AND LIVE PRODUCT DISPLAY

2020

BPE INNOVATIONS PVT. LTD.

HELPED THE COMMUNITY TO FIGHT
COVID-19 WITH NEW INNOVATIVE
TOUCH-LESS PRODUCTS.
STARTED COVID HYGIENE SERIES
TO SERVE HUMANITY

2019

BPE INNOVATIONS PVT. LTD.

LAUNCHED NEW RANGE OF AUTOMATIC
URINAL FLUSHERS PROUD TO BE
DEVELOPED IN INDIA

2012

BPE INNOVATIONS PVT. LTD.

BECAME NO.1 MANUFACTURER
IN INDIA FOR WASHROOM
HYGIENE SENSORS

2017

BPE INNOVATIONS PVT. LTD.

INAUGURATED NEW
PRODUCTION UNIT IN
GHAZIABAD, A STATE OF THE ART
FACILITY HAVING PRODUCTION
CAPACITY OF 50,000 UNIT
PER MONTH

Inspired from Nature
with Perfect Finishes
to Suite
All Kind of Spaces



Our newest series appears to be steep from the outside and smooth on the inside just like the natural strength and beauty of a cliff.

Bharat Photon[®]
where sensors mean  'India'



INBOX

Our exquisite range of washroom hygienic sensor based products completes the lifestyle offering to millions of our customers across India. The elegant look, quality and style of our Indian manufacturing sensor based products collection ensures that our loyal customers shall get the best in class. A perfect setting for a rendezvous with class is finally here!



INDEX

01

**AUTOMATIC
SENSOR
FLUSHER FOR
URINAL/WC**

15

**CERAMIC
URINAL/ WC
WASH BASINS**

23

**AUTOMATIC
SENSOR
FAUCETS**

35

**SOAP/SANITIZER
DISPENSERS**

38

**AUTOMATIC
AIR FRESHNERS
FRAGRANCE
DISPENSERS**

42

**AUTOMATIC
HAND DRYERS**

50

**AUTOMATIC/
MANUAL
TISSUE PAPER
TOILET ROLL
DISPENSERS**

55

**AUTOMATIC
SCRUB PANELS**

56

**BODY OPERATED
HYGIENE
TAPS**

57

**RECESS
PANELS**

58

**AUTOMATIC
TRASH CAN**

59

**TWILIGHT SWITCH
GRAB BAR
SHOE SHINER
MACHINE**

62

**AUTOMATIC
WATER LEVEL
CONTROLLER/
INDICATOR**

64

**AUTOMATIC
SLIDING DOOR
SYSTEM**

66

ACCESSORIES



From The Founder's Desk

The mindfulness which India and even world has today for Hygiene and Cleanliness was absent since decades. Our government is already doing a great job by PM's 'Clean India Mission', campaign against open defecation and many such initiatives. But the level of alertness & awareness about hygiene that is omnipresent today was never before.

Hand washing is the best habit today but using manual taps still pose a risk as after washing one has to close the faucet by touching the same dirty knob again. If not closed, will waste water substantially.

Same is the case with public urinals where manual valve for flushing pose highest threat of spreading germs & viruses when one touches them for flush after use.

"Change" is the law of universe. Today is the time to embrace technology and change our habits of –

1. Putting ourselves & our family members at risk by touching things in public places which we don't need to. Nothing will change if we do not change

2. Wasting the most important element of life i.e. "Water" by not using it wisely especially in public washrooms.

We as a technology integrator and manufacturing house, are working hard since decades to make the people of India aware about importance of hygiene in Public Washroom.

Our vision is to make every public toilet of India touch-free with the help of Advanced Hygiene Technology (preferably Indian), where no-one has to touch anywhere during his/her use.

If we can bring this change of hygiene & water saving implemented in maximum public toilets of India with technology designed & developed in India, then only our mission will be successful.

DESH DEEP AGRAWAL - BHARAT PHOTON



MD'S & CEO MESSAGE

The awareness which India has today for **Hygiene & Cleanliness** was missing since decades. With Indian Government initiating campaigns like '**CLEAN INDIA MISSION**' and general public developing an appetite for hygienic conditions in public washrooms, the use of Hygiene Products that reduce the human element in maintaining cleanliness has become mandatory for commercial establishments like hotels, malls, hospitals, schools, colleges, office complexes, etc.

Modern washrooms in India need Hygiene products that should not only be world class, but also conducive to Indian environment with strong after sales service & support. We need to be at par with the world when it comes to being providing & maintaining the highest standards of hygiene in our washrooms.

Ours being a developing country can not afford to waste water due to erroneous use by general public in common washrooms.

Hence the time has come when each public washroom in India must install these **AUTOMATIC HYGIENE PRODUCTS** especially manufactured in India which are cost effective, easy to use & maintain. Thus conserving hygiene and water without depending on human element for the same."

Having 30000 + happy customers in the industry and more than 100 + SELF MANUFACTURED products, Bharat Photon has been a synonym for quality, durability & trust.

AKASH DEEP AGRAWAL - BHARAT PHOTON
SENSOR MAN OF INDIA

ना छूना पड़े कहीं, स्वच्छता है वहीं
स्वच्छ भारत के लिए, भारत फोटोन है सही !!

ABOUT Us



MAKING IT IN INDIA, BRINGING IT TO THE WORLD

BHARAT PHOTON is a leading and one of the oldest company manufacturing automation products since 1983. We specialize in Sensor-based automation products for Industries and Washroom Hygiene. Our foremost concerns have always been on quality and SUPERIOR CUSTOMER SERVICE. Having a technical background clubbed with experience & expertise in our field enables us to score an edge over others in the industry.

We are especially designing and manufacturing tougher products that last longer and are easier to repair unlike use & throw imported ones which are marketed extensively in India by big brands. We are committed to serving our country with an easily repairable lifetime product with no need to replace the entire system in life.

WE ARE KNOWN IN THE INDUSTRY IN TWO WAYS: -

- Our brand BHARAT PHOTON has already created a niche in the industry with our premium range of washroom hygiene sensors and accessories.
- Our Automatic Urinal Flusher and Automatic Sensor Faucet are already serving Indian washrooms under the umbrella of elite sanitary brands for which we act as an OEM partner in sensor products for decades.

Since our establishment, we are involved in manufacturing & supplying of Hygiene and Automation Sanitary Products. Our range includes Sensor Taps, Urinal Sensors, Automatic Hand Dryers, Soap Dispensers, Paper Dispensers, Water Level Controllers, Premium washroom hygiene sensors & accessories.

“

We are committed to service excellence and work to deliver a professional, proactive service with our every customer.

We believe that customer satisfaction is central to quality and performance.


When it comes to Sensor,
Only an Expert like us can deliver.

”

The longest warranty,
fastest support by BHARAT PHOTON,
where customers are family

VIDIT KULSHRESHTHA - BHARAT PHOTON
SENIOR VICE PRESIDENT





AUTOMATIC SENSOR FLUSHERS FOR URINAL/WC



www.bharatphoton.com

WORLD'S FINEST
WASHROOM SENSOR SPECIALIST

beautify
your spaces.



**INDIA'S NO.1
MANUFACTURER
OF HYGIENE
SENSORS**



Wide range


- **RECESSED**
SENSOR FLUSHERS FOR URINAL
(BATTERY/ELECTRICAL/AC-DC)
- **EXPOSED**
BATTERY OPERATED
(RETROFIT URINAL SENSORS)
- **INTEGRATED**
SENSOR FOR CERAMIC URINAL
POTS (EASILY REPLACEABLE
IN ANY BRAND URINAL)
- **REPLACEMENT**
EASILY REPLACEABLE WITH
IMPORTED SENSOR
- **RECESSED WC SENSOR**
BATTERY OPERATED AUTOMATIC
TOILET FLUSHER (WC)
- **TOUCHLESS TOILET CISTERN**
WAVE SENSOR OPERATED
AUTOMATIC TOILET CISTERN
- **HANDSFREE JET WASHING**
SENSOR BIDET FOR TOILET SEAT
A.K.A. AUTOMATIC JET SPRAY THRU
WAVE SENSOR

UNIQUE FEATURES OF BHARAT PHOTON URINAL/ WC SENSORS



**DEODORIZE
FEATURE OF
24 HOURS
VOLUNTARILY
FLUSH** IF NO USE

**POLYCARBONATE
ABS BODY
RECESSED
BOX
EASY TO INSTALL**
(No breaking of walls or tiles for
replacing spare parts)



**LIVE INDICATORS
FOR SENSING &
FLUSH MODES GIVE
IMMERSIVE
EXPERIENCE FOR
USE & TROUBLESHOOTING**

**SENSE TO
RESPECT
FEATURE TO AVOID
SPLASHING ON
SECOND PERSON
IN QUEUE**



**FALSE FLUSH
PROTECTION
ELIMINATES WATER
WASTAGE & THUS
SAVES MONEY**

**REMOTE-OF-
TOILET (RoT)
REMOTE OPERATED
SENSOR**

MONTHLY TO YEARLY REPORTS
ACCESSIBLE VIA BPE RoT
DASHBOARD





 YouTube

URINAL SENSORS



Automatic SENSOR FLUSHERS FOR URINALS / WC

- **DESIGNED AND MANUFACTURED** in India to automatically flush urinal pots/ closets after every use
- An essential & dependable component in every washroom to **MAINTAIN PROPER HYGIENE**
- Simultaneously instrumental to help **REDUCE WATER WASTAGE**
- **INTELLIGENT FLUSHING** ensures your washroom remains **STINK FREE**
- **RECOVER ITS COST** by saving significant amount of water as compared to washrooms with continuously running flushing
- Tried and tested **EASILY SERVICEABLE & LIFETIME REPAIRABLE** product, very adaptive to robust Indian conditions
- India's No.1 self manufactured product - **A STRONG REPLY TO USE & THROW 'LOCALLY BRANDED IMPORTED MODELS'** marketed widely in India
- **ESSENTIAL FOR GREEN BUILDINGS** and must for every public washroom
- **REDUCES CARBON FOOTPRINT** & saves considerable amount of Operational Costs as compared to conventional flushing techniques

RECESSED AUTOMATIC URINAL SENSORS




MODEL : BP-U502 (BRUSHED S.S.)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material : Screwless Front Plate SS with ABS frame, ABS Concealed Box, PoM Solenoid Valve with Brass flow control

Reliable & robust PoM Solenoid Valve
(In 'L' type arrangement)



MRP : ₹6,290/- (DC) | ₹6,850/- (AC/DC)


AC/DC Adaptor on demand

MODEL : BP-U512 (BRUSHED S.S.)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material : Screwless Front Plate SS with ABS frame, ABS Concealed Box, PoM Solenoid Valve with Brass flow control

Reliable & robust PoM Solenoid Valve
(In 'L' type arrangement)



MRP : ₹6,690/- (DC) | ₹7,250/- (AC/DC)

AC/DC Adaptor on demand




MODEL : BP-U105 (BRUSHED S.S.)

Electrical Operated Concealed Urinal Flusher
With Black Box | 220V AC

- Sensing Range : 500mm (Adjustable)
- Flush time: 8 Seconds Post-Flush (Adjustable)
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material : SS Front Plate with mirror screws, ABS Concealed Black Box, PoM Solenoid Valve

Solenoid Valve setup in False-Ceiling/ Shaft/
Direct on angle valve



MRP : ₹5,790/- (AC)

Also Available with Straight Type Solenoid Valve



Flow Rate
Table

Pressure (MPa)	0.02	0.05	0.1	0.2	0.3
Average Flow rate (L/min)	3	9	14	18	23

RECESSED AUTOMATIC URINAL SENSORS

MODEL : BP-U602 (BRUSHED S.S.)


Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)
- Material : Screwless Front Plate SS with ABS frame, ABS Concealed Box, PoM Solenoid Valve with Brass flow control

Reliable & robust PoM Solenoid Valve
(In 'Straight' type arrangement)

MRP : ₹6,390/- (DC) | ₹6,950/- (AC/DC)

AC/DC Adaptor on demand



MODEL : BP-U612 (BRUSHED S.S.)


Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)
- Material : Screwless Front Plate SS with ABS frame, ABS Concealed Box, PoM Solenoid Valve with Brass flow control

Reliable & robust PoM Solenoid Valve
(In 'Straight' type arrangement)

MRP : ₹6,790/- (DC) | ₹7,350/- (AC/DC)

AC/DC Adaptor on demand



RECESSED AUTOMATIC URINAL SENSORS




MODEL : BP-U742S (SATIN SILVER WITH NEON RING LED)

Battery Operated Concealed Urinal Flusher
With Push Button Flush 6V DC - 4X AA Size

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material: ABS Satin Finish Front Plate, ABS Concealed Box, PoM Solenoid Valve 'L' type with Brass flow control

Premium model with one of its kind aesthetic Neon Ring on Satin Plate that glows on sensing



MRP : ₹7,490/- (DC) | ₹8,050/- (AC/DC)


AC/DC Adaptor on demand

MODEL : BP-U642S (SATIN SILVER)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material: ABS Satin Finish Front Plate, ABS Concealed Box, PoM Solenoid Valve 'L' type with Brass flow control

Premium model with one of its kind aesthetic Urbane look 'Satin Finish' sensor plate



MRP : ₹7,190/- (DC) | ₹7,750/- (AC/DC)

AC/DC Adaptor on demand




MODEL : BP-U942S (SATIN SILVER)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)
- Material: Satin Finish ABS front Sensor plate, Stainless Steel Concealed Box, Brass Solenoid Valve with inbuilt flow control and Filter

Premium model with one of its kind aesthetic Urbane look 'Satin Finish' sensor plate



MRP : ₹8,790/- (DC) | ₹9,350/- (AC/DC)

AC/DC Adaptor on demand

RECESSED AUTOMATIC URINAL SENSORS


MODEL : BP-U205F (BRUSHED S.S.)

Electrical Operated Concealed Urinal Flusher
220V AC

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)
- Material : Screwless Front Plate SS with ABS frame, ABS Concealed Box, PoM Solenoid Valve with Brass flow control

An ideal install & forget solution for sites with power backup as it consumes negligible power & runs excellently on generators & invertors

MRP : ₹6,090/- (AC)



2 YEARS WARRANTY



AC ADAPTOR



MODEL : BP-U992 (SS FRONT PLATE WITH NEON RING LED)

Battery Operated Concealed Urinal Flusher With Accessories
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)




Remote-of-Toilet (RoT) Features

- Anti-corrosion S/S grade 304 cover panel with NEON RING LED
- Bypass button for Janitor use
- Remote operated sensor
- Touch-free flushing activation for optimum personal hygiene
- Fault detection with automated alert
- Self-diagnosis with recommended solutions
- Water consumption tracking
- Monitoring to facilitate preventive maintenance services
- Monthly to yearly reports accessible via BPE RoT dashboard

MRP : ₹11,990/- (DC)

MRP : ₹12,550/- (AC/DC)

AC/DC Adaptor on demand



EXPOSED URINAL SENSORS/ URINAL SENSOR WITH POT

Flushbuoy™
by Bharat Photon

The right of every urinal

Battery Operated Exposed Urinal Sensors

6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)

Ready to fit model to automate existing manual flush with no civil job required

MRP : ₹5,590/- (DC)

AVAILABLE COLORS



CARBON BLACK




ASH GREY



ROSE GOLD



NILE BLUE



ECONOMICAL



2 YEARS WARRANTY

MODEL : COMBO FB

Battery Operated Exposed Urinal Flusher With Ceramic Urinal Pot : 6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2" (Dn15)

Ready to fit model to automate existing manual flush.


Fixing : Universal Urinal Bracket

Accessories

Include :



MRP : ₹7,290/- (DC)



2 YEARS WARRANTY

EXPOSED URINAL SENSORS

MODEL : BP-U632/635 (Polycarbonate ABS Body)

Exposed Urinal Flusher

220V AC | 6V DC - 4X AA Size Alkaline


- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)

White ABS body having flexibility to install solenoid valve inside or outside body as per site conditions



MRP : ₹6,090/- (DC)

MRP : ₹6,650/- (AC)



MODEL : BP-U732 (Polished Chrome Brass)


Battery Operated Exposed Urinal Flusher

6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)

Polished Chrome Stylish Brass Retrofit model to convert your manual flush valve into automatic without any civil job required

MRP : ₹7,290/- (DC)



REPLACEMENT AUTOMATIC URINAL SENSORS




Note : Can select any one valve & without concealed box

MODEL : BP-U242L/S (SATIN SILVER)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm (Adjustable)
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Flexible model having loose valve for installation is false ceiling or inside concealed box as an Indian replacement with fitting matched to more than 95% faulty imported sensors installed in India


MRP : ₹6,590/- (DC) | ₹7,150/- (AC/DC)
AC/DC Adaptor on demand

MODEL : BP-U212L/S (BRUSHED S.S.)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)

Flexible model having loose valve for installation is false ceiling or inside concealed box as an Indian replacement with fitting matched to more than 95% faulty imported sensors installed in India



MRP : ₹6,090/- (DC) | ₹6,650/- (AC/DC)
AC/DC Adaptor on demand



Note : Can select any one valve & without concealed box



Also available in straight valve


MODEL : BP-U522 (BRUSHED S.S.)

Integrated Sensor for Ceramic Urinal Pots
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)

Best suitable model to replace imported inbuilt sensors with exact fitting matched


MRP : ₹6,290/- (DC)
MRP : ₹6,850/- (AC/DC)



MODEL : BP-U722

Integrated Sensor for Ceramic Urinal Pots
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Best suitable model to replace
imported inbuilt sensors with exact fitting matched

MRP : ₹6,090/- (DC) | ₹6,650/- (AC/DC)
AC/DC Adaptor on demand

FOR SMALL ROUND SENSOR CUT POTS




2 YEARS WARRANTY



MODEL : BP-U842J (POLISHED CHROME SS)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)




Replacement model with exact fitting for big
Rectangle plate type concealed model, Easily replaceable
Model with SS Plate, Solenoid Valve & Battery Box.

MRP : ₹7,190/- (DC) | ₹7,750/- (AC/DC)
AC/DC Adaptor on demand

MODEL : BP-U842R (POLISHED CHROME S.S.)

Battery Operated Concealed Urinal Flusher
6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Replacement model with exact fitting for big
Square plate type concealed model, Easily replaceable
Model with SS Plate, Solenoid Valve & Battery Box.

MRP : ₹6,790/- (DC) | ₹7,350/- (AC/DC)
AC/DC Adaptor on demand



2 YEARS WARRANTY

INTEGRATED
AUTOMATIC
URINAL SENSORS
WITH URINAL POT

BRAMOX **BRAMO**
INTEGRATED EFS
by Bharat Photon

**STYLISH CERAMIC URINAL POT IN WHITE COLOR WITH
EMBEDDED SENSOR FOR AUTOMATIC FLUSHING**

**FALSE FLUSH PROTECTION WITH LIVE INDICATOR
TO REPRESENT SENSING & FLUSH READY MODES**

**MRP : ₹13,590/- (DC)
₹14,150/- (AC/DC)**

**MRP : ₹12,990/- (DC)
₹13,550/- (AC/DC)**

10 YEARS

WARRANTY*
ON CERAMIC
T&C, APPLY



URINAL
SENSOR KIT

FLOW
CONTROL

BRAIDED
PIPE

URINAL
BRACKET SET

BRASS URINAL
FLANGE KIT

URINAL VALVE
ASSEMBLY KIT

*Applicable on ceramic only. Sensor parts contain 1 year warranty against any manufacturing defect.


INTEGRATED AUTOMATIC URINAL SENSOR

MODEL : BP-U522M (POLISHED CHROME BRASS)

Integrated Sensor for Ceramic Urinal Pots

6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Best suitable model to replace imported inbuilt sensors with exact fitting matched

MRP : ₹6,590/- (DC) | ₹7,150/- (AC/DC)
AC/DC Adaptor on demand




MODEL : BP-U622 (POLISHED CHROME BRASS)

Integrated Sensor for Ceramic Urinal Pots


6V DC - 4X AA Size Alkaline

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Replacement model with exact fitting for big square plate type concealed model

MRP : ₹6,790/- (DC) | ₹7,350/- (AC/DC)
AC/DC Adaptor on demand



EXPLORE MORE

www.bharatphoton.com

AUTOMATIC FLUSHING SENSORS FOR TOILETS



With Dual Flush Features
Concealed box size : 125 x 125mm


MODEL : BP-W442S (SATIN SILVER)

Battery Operated Concealed Automatic Toilet Flusher with Push Button Flush

- Sensing Range & Flush Time Adjustable
- Working Water Pressure : 0.02Mpa-0.8Mpa
- 40mm Inlet/Outlet orifice Top to Bottom
- Deodorize features of 24 hours voluntarily flush if no use

Can operate through sensor or push button
Having highly robust brass valve with inbuilt strainer and flow control

MRP : ₹15,990/- (DC) | ₹16,150/- (AC/DC)
AC/DC Adaptor on demand




MODEL : BP-W422 (BRUSHED S.S.)

Battery Operated Concealed Automatic Toilet Flusher with Push Button Flush

- Sensing Range & Flush Time Adjustable
- Working Water Pressure : 0.02Mpa-0.8Mpa
- 40mm Inlet/Outlet orifice Top to Bottom
- Deodorize features of 24 hours voluntarily flush if no use

Can operate through sensor or push button
Having highly robust brass valve with inbuilt strainer and flow control

MRP : ₹14,990/- (DC) | ₹15,550/- (AC/DC)
AC/DC Adaptor on demand



With Dual Flush Features
Concealed box size : 125 x 125mm




MODEL : BP-W105 (BRUSHED S.S.)

Electrical Operated Concealed Automatic Toilet Flusher | 220V AC

- Sensing Range & Flush Time Adjustable
- Working Water Pressure : 0.02Mpa-0.8Mpa
- 30mm Inlet/Outlet orifice
- Deodorize features of 24 hours voluntarily flush if no use

A pure electrical model having robust electrical Solenoid valve that can handle more impurities than AC/DC adaptor operated battery system valve

MRP : ₹7,990/- (AC)



Flow Rate Table

Pressure (MPa)	0.05	0.1	0.2	0.3	0.5
Average Flow rate (L/min)	30	55	75	100	145

AUTOMATIC JET SPRAY SYSTEM FOR WC



MODEL : JETBUOY

Sensor Operated Bidet Sytem
6V DC - 4X AA Size Alkaline



- Sensing Range : 500mm (Adjustable)
- Wave Sensor : Wave to ON / Wave to OFF
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)

Highly convenient for elderly, Kids as it makes
Jet washing super easy

**JUST SHOW YOUR HAND
TO JET ON** «👉»

**JUST SHOW YOUR HAND
TO JET OFF** «👉»

- ✓ Fully automatic and touchless use
- ✓ Designed and manufactured proudly in India
- ✓ Ready to fit model, No civil job required

- Jetbuoy - Sensor Bidet System
- Brass Coupling
- Brass Elbow Chrome Plated
- Jet Spray (Brass)




MRP : ₹5,290/- (DC) Includes all accessories

MODEL : BP-W4472 (POLISHED CHROME S.S.)

Battery Operated Concealed Automatic Toilet
Flusher with Push Button Flush

- Sensing Range : 500mm
- Flush Time : 8 Seconds Post-flush
- Working Water Pressure : 0.02Mpa-0.8Mpa
- Inlet/ Outlet : G1/2 " (Dn15)



Replacement model with exact fitting for big
Rectangle plate type concealed model, Easily replaceable
Model with SS Plate, Solenoid Valve & Battery Box.

**CONVERT CONCEALED PUSH
FLUSH TANK PLATE TO
AUTOMATIC**

MRP : ₹12,290/- (DC)



Original Image

WC CISTERN SENSOR

Battery Operated Automatic Toilet Cistern
YOUR TOILET CAN NOW BE TOUCHLESS



BHARAT PHOTON new design auto flush can make any existing toilet touch less. flush water without touching any buttons, just wave your hand over sensor (0-15cm) to activate for automatic flushing!
It can be widely used in homes and public toilets.

MODEL : BP-W142

MRP : ₹5,990*/- (DC)

*Toilet commode not included in this price

MODEL : BP-W142 COMBO

MRP : ₹9,590*/- (DC)

*Toilet commode included in this price

MICRO ECO FLUSHER (MEF)

A BOON TO RESCUE WATERLESS URINALS FROM FOUL SMELLS, CUMBERSOME
MANUAL CLEANING & HIGH COST OF CHEMICALS

Before we introduce MEF, let us know some facts about waterless urinals and where they fail in Indian conditions.

Waterless urinals are born from the idea of water saving which sounds very charming

How do they work : Waterless urinals look like regular urinals without a pipe for water intake. Men use them normally, but the urinals don't flush. Instead, they drain by gravity. Their outflow pipes connect to a building's conventional plumbing system. Some companies put a trap (it's a cup) in the drain, which they say stifles urine odors. Other companies with costlier model fill the trap/cup with water and a proprietary liquid -- usually oil. The liquid simply has to float on the water. The urine sinks, and associated gases can't rise through the oil.

But do they really work? especially in a country like India with demanding conditions and tough weather, mostly humid in most of the part of the country?

We did a survey on facilities using waterless urinals within India and also across the globe and found that many facilities are fed up with high cost of maintenance and still their facility becoming a health hazard !!!!!

According to website www.theswcsun.com, "Waterless devices retain urine, creating an environment that helps bacteria multiply, resulting in offensive odors. Savings in water costs are offset by the other expenses associated with waterless urinals. Chemicals for these urinals include sealer, primer and cleaner which sell for \$75 a gallon and harm the environment. One of the two plumbers at SWC said he is not in favor of the waterless system.

"The selling point was the 40,000 gallons of water," he said.

Now lets pen down the facts proving that why waterless urinals fail their basic idea of : maintaining a washroom odor free, cut down cost and save water:

- Urine traces in bowl : People supporting and marketing waterless urinals say that when urine comes in contact with H₂O it produces ammonia that's responsible for bad odor. They are true but they have forgotten the fact that in Indian conditions or facilities where moisture content is very high, urine traces in the bowl even in waterless urinals will automatically come in contact with moisture in air and will generate ammonia that is bound to smell bad. The condition is worsened by relying on the existing drainage infrastructure where trapped moisture crystallizes the urine sediments produces odor causing gas triggering further contamination of the structure and reducing the life of the pipes.
- Foreign particles : Waterless urinals are unable to deal with foreign particles like human hair, tobacco & pan masala spits, left over cigarette, etc. that damages the trap and its seal, thus adding to the insult.
- High cost of maintenance : Waterless urinals need periodic replacement of expensive chemicals like oil or trap replacement every three months to 7000 flushes and need chemical spray (containing bio-organisms) for bowl cleaning, making it costlier than flushing
- Cumbersome manual cleaning : A lot of manual cleaning of urinal bowl is required through the use of chemicals containing bio- organisms. This whole process again require lots of training and skilled labor to undertake the cleaning process which is non-practical to sustain in long run with large number of urinals to maintain.
- Lack of ventilation : Most of the public washrooms in India are not designed according to ventilation required for waterless urinals. They fall prey to no-water flushing urinals once the fous smells begin to generate & multiply, ultimately resulting in extremely unhygienic conditions
- Absolute health hazard : As waterless urinals do not treat the urine traces and foreign particles in the bowl unless cleaned manually, they pose a serious health hazard to humans using them as contamination is bound to occur & multiply

THE SOLUTION

MICRO ECO FLUSHER (MEF)

For Further Details, Please Contact Us.

FAST WASH
AESTHETIC
& HYGIENE



5D

TECHNOLOGY

BEGINNING OF A NEW ERA
OF 4D TECHNOLOGY



HYGIENIC



STAIN FREE




ECO FRIENDLY



EASY TO
INSTALL



WATER SAVING



RIMLESS



More
Hygienic



More
Ecological



SOFT
CLOSE



TAKE-OFF
SYSTEM



HIDDEN
FIXING SYSTEM



GLAZED
SIPHON

PERFECT CLEAN SOLUTION

CERAMIC URINAL POT AND WC

Bharat Photon®
where sensors mean 'India'


MODEL : BP-ZENIX-11

Wall Mounted One Piece Closet

White Color Ceramic

- UF Seat Cover
- Tornado Flushing
- Fast Wash Aesthetic & Hygiene
- Dimension : L540 X W370 X H340 MM

Long lasting and durability with
Great quality & easy to fit



MRP : ₹14,390/-



10 YEARS
WARRANTY*
ON CERAMIC
T&C APPLY



10 YEARS
WARRANTY*
ON CERAMIC
T&C APPLY

MODEL : BP-PHOENIX-11

Floor Mounted One Piece Closet With
Touchless Wave Sensor Flushing

- Dimension : L645 X W360 X H725 MM
- S TRAP 225MM (9")
- Wash Down Flushing
- Input : 4X AA Size Alkaline Batteries

Long lasting and durability with
Great quality & easy to fit



MRP : ₹15,990/-



MODEL : BP-BRADE-11

White Ceramic Urinal Pot

Easy to Install

- Dimension : L245 X W300 X H400 MM
- Fixing Wall Mounted Outlet
- Universal Urinal Bracket
Urinal Outlet Accessories

Fine finishing for elegant and aesthetic look



MRP : ₹3,890/-



10 YEARS
WARRANTY*
ON CERAMIC
T&C APPLY


CERAMIC

WASH BASINS

Collection that exudes Luxury!



BRASS WASTE
COUPLING
MRP : ₹1,390/-



BRASS BOTTLE
TRAP
MRP : ₹2,390/-



BRASS ANGLE
VALVE
MRP : ₹990/-

PERFECT CERAMICS FOR PURE ELEGANCE


CERAMIC WASH BASINS & ACCESSORIES

MODEL : BP-CELINE-11

White Ceramic ROUND

Art Wash Basin - Counter Top

- Integrated Structure, Seamless and Anti-Leakage
- Dimension : L450 X W450 X H140 MM



This Slim Rim Product will add the charm of detail and design

MRP : ₹7,990/-




MODEL : BP-PROXIM-61

White Ceramic

Art Wash Basin - Counter Top

- Integrated Structure, Seamless and Anti-Leakage
- Dimension : L485 X W375 X H140 MM



This Slim Rim Product will add the charm of detail and design


MRP : ₹5,390/-

MODEL : BP-PROLINE-21

White Ceramic

Art Wash Basin - Counter Top


- Integrated Structure, Seamless and Anti-Leakage
- Dimension : L480 X W360 X H130 MM




This Slim Rim Product will add the charm of detail and design

MRP : ₹6,490/-





AUTOMATIC SENSOR FAUCETS FOR BASIN/ WALL/ DECK MOUNTED



www.bharatphoton.com

beautify
your spaces.

**WORLD'S FINEST
WASHROOM SENSOR
SPECIALIST**




**INDIA'S NO.1
MANUFACTURER
OF HYGIENE
SENSORS**

UNIQUE FEATURES OF BHARAT PHOTON SENSOR FAUCETS


Wide range

- **BASIN MOUNTED**
AUTOMATIC SENSOR FAUCETS
(BATTERY/ELECTRICAL/AC-DC)
- **WALL MOUNTED**
AUTOMATIC SENSOR FAUCETS
(BATTERY/ELECTRICAL/AC-DC)
- **EXPOSED TYPE**
BATTERY OPERATED
(RETROFIT SENSOR FAUCETS)
- **CONCEALED/ LONG BODY TYPE**
MIXER SENSOR FAUCET
NRV AND TMV
WALL CONCEALED/ BASIN/ TABLE
TOP MOUNTED
MOUTH SENSOR FAUCETS
- **AUTOMATIC SENSOR SHOWER**
SYSTEM
SHOWER SENSOR AVAILABLE IN
CUSTOMIZED BODIES / MODES.




**TOUCHLESS
OPERATION**
USING INFRARED
SENSING
TECHNOLOGY

**POLY-
CARBONATE
ABS BODY**
CONTROL UNIT



OPTIONS TO
CHOOSE MODEL IN
**DC, AC AND
AC/DC**

**SAFETY
SHUT OFF**
FALSE SENSING
AUTOMATIC CUT OFF
AFTER 1 MINUTE



IN OUR CONTROL
UNIT YOU GET
**ADJUSTABLE
SENSING
RANGE**



**SENSOR
TAPS**

Automatic SENSOR FAUCETS FOR BASIN/ WALL MOUNTED

- Designed and manufactured in India to ***AUTOMATICALLY WASH HANDS WITHOUT THE NEED TO TOUCH THE TAP***
- An essential & dependable component in every washroom to ***MAINTAIN PROPER HYGIENE***
- Simultaneously instrumental to ***HELP REDUCE WATER WASTAGE***
- ***PREVENTS THE SPREAD OF GERMS*** due to physical contact of tap
- ***ENSURES NO ONE LEAVES THE TAP RUNNING*** after use as water flows only for the duration when hand is in front of the sensor
- A tried and tested ***EASILY SERVICEABLE & LIFETIME REPAIRABLE*** robust Indian answer to use & throw 'locally branded imported models' marketed widely in India
- A true ***INDIAN PRODUCT*** that Conforms to ***GREEN BUILDING STANDARDS***
- ***REDUCES CARBON FOOTPRINT & SAVES CONSIDERABLE AMOUNT OF OPERATIONAL COSTS*** as compared to Manual Taps

BASIN MOUNTED SENSOR FAUCETS




2 YEARS WARRANTY

MODEL : BP-F102_{DC} / 105_{AC} / 107_{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Stylish & sleek design with linear sensor,
Specially crafted for small to medium size basin




MRP : ₹6,990/- (DC) | ₹6,790/- (AC) | ₹7,350/- (AC/DC)

MODEL : BP-F122_{DC} / 125_{AC} / 127_{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Rotatory swan neck design with linear sensor,
Specially made for medium size basin



MRP : ₹6,490/- (DC) | ₹6,290/- (AC) | ₹6,850/- (AC/DC)



2 YEARS WARRANTY




2 YEARS WARRANTY

MODEL : BP-F292_{DC} / 295_{AC} / 297_{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 100mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Sleek hidden mouth sensor at faucet
opening for Great user experience



**MRP : ₹6,990/- (DC)
₹6,790/- (AC)
₹7,350/- (AC/DC)**


BASIN MOUNTED SENSOR FAUCETS

MODEL : BP-F062_{DC} / 065_{AC} / 067_{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)

Ergonomically designed in swan neck with
Linear sensor, best fit for all sizes basin




MRP : ₹6,490/- (DC) | ₹6,290/- (AC) | ₹6,850/- (AC/DC)



MODEL : BP-F052_{DC} / 055_{AC} / 057_{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)



Hidden bottom sensor for robust & sturdy use,
Appropriate for medium size basin

MRP : ₹7,190/- (DC) | ₹6,990/- (AC) | ₹7,550/- (AC/DC)



BASIN MOUNTED SENSOR FAUCETS




MODEL : BP-F182^{DC}

Basin Mounted Hot & Cold Mixture Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC (6V DC Alkaline)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)

Enjoy the perfect blend of Hot and Cold Water
with Sensor tap, Smart way to wash- Ready Mixture
Sensor Tap with Flow Adjustment

MRP : ₹8,990/- (DC)




MODEL : BP-F162^{DC} / 165^{AC} / 167^{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)

Aesthetically square designed linear
sensor faucet



MRP : ₹8,590/- (DC) | ₹8,390/- (AC) | ₹8,950/- (AC/DC)




MODEL : BP-F152^{DC} / 155^{AC} / 157^{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)

Elegant look with smart linear sensor,
Best fit for medium to big size basin




MRP : ₹7,190/- (DC) | ₹6,990/- (AC) | ₹7,550/- (AC/DC)

MODEL : BP-FR-02 (SENSE-O-RING)

Battery Operated Smart Sensor Converter
6V DC - 4X AA Size Alkaline

Power : DC (6V DC Alkaline)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2" (Dn15)

Easy to fit model, Smart sensor converter for
Existing basin mounted manual taps



MRP : ₹4,290/- (DC)




2 YEARS WARRANTY



MODEL : BP-NRV

Non Return Mixture Valve

Material : Chromeplated Brass Metal
Item Dimensions : 6.5 x 5.8 x 5.9 Cm (LxWxH)
Inlet Connection Size : 0.5 Inches



An optional attachment in chromeplated brass metal for
Conversion of any single line sensor tap into double line mixer.
Hot & Cold ratio can be adjusted with the help of single lever

MRP : ₹2,890/-

1 YEAR WARRANTY

SENSOR TAPS CONTROL UNITS



DC



AC



AC/DC

**EASY INSTALLATION OF BATTERIES THROUGH POPUP BATTERY BOX
WITHOUT THE NEED TO OPEN ENTIRE CONTROL UNIT****


WALL MOUNTED SENSOR FAUCETS



MODEL : BP-F192^{DC} / 195^{AC} / 197^{AC/DC}

Wall Mounted Mouth Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC
Sensing Range Adjustable : 100mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)



Sleek hidden mouth sensor at faucet opening for
Great user experience


MRP : ₹6,690/- (DC) | ₹6,490/- (AC) | ₹7,050/- (AC/DC)

MODEL : BP-F112^{DC} / 115^{AC} / 117^{AC/DC}

Wall Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Rotatory swan neck design with linear sensor for
Seamless user experience



MRP : ₹6,490/- (DC) | ₹6,290/- (AC) | ₹6,850/- (AC/DC)



MODEL : BP-F144

Battery Operated Retrofit Sensor Faucet
(Polycarbonate ABS with Chromeplated Brass Spout)

Power : DC (6V DC Alkaline Battery)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Polycarbonate ABS with chromeplated brass
Rotatory Spout for convenient use

MRP : ₹6,290/- (DC)

Also available in straight valve

WALL MOUNTED SENSOR FAUCETS


MODEL : WASHBUOY (EXPOSED TYPE)

Battery Operated Retrofit
Wall Mounted Sensor Faucet

Power : DC (6V DC Alkaline Battery)
Sensing Range Adjustable : 170mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

An easy to install portable hand wash sensor that is sleek and can be installed in any washbasin with wall mounted water pipe above it.

MRP : ₹5,590/- (DC)



2 YEARS WARRANTY



2 YEARS WARRANTY


MODEL : COOLBUOY (EXPOSED TYPE)

Battery Operated Retrofit Sensor Faucet
Specially Designed for Water Cooler with Storage Tanks

Power : DC (6V DC Alkaline Battery)
Sensing Range Adjustable : 400mm
Safety shut off : 1 Minute
Work on ZERO water pressure only
Inlet/ Outlet : G1/2 " (Dn15)

COOLBUOY is an extremely essential made in India product to stop virus spreads due to touching of manual faucets

MRP : ₹5,290/- (DC)



www.bharatphoton.com

Automatic

PRESENTING FUTURISTIC RANGE OF
TOUCHLESS FAUCETS & ACCESSORIES



WATER
SAVING



HYGIENIC



INSTALLATION
FRIENDLY



ECONOMICAL



EASY TO
SERVICE



RELIABLE

WALL MOUNTED SENSOR FAUCETS



MODEL : BP-F402^{DC} (RECESSED)

Wall Mounted Sensor Faucet with Concealed Box
(Chromeplated Brass Metal Body)

Power : DC (6V DC Alkaline Battery)
Sensing Range Adjustable : 120mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Revolutionary design having no sensor cut in front plate as it has mouth sensor faucet, No separate control unit required

MRP : ₹8,890/- (DC)

MODEL : BP-F072^{DC} / 075^{AC} / 077^{AC/DC}

Wall Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Hidden bottom sensor for robust & sturdy use,
Perfect design for High Traffic

MRP : ₹8,490/- (DC) | ₹8,290/- (AC) | ₹8,850/- (AC/DC)




MODEL : BP-F143

Battery Operated Retrofit Sensor Faucet
(Chromeplated Brass Body)

Power : DC (6V DC through 4 X AA size)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
No separate control unit required

Chromeplated brass body
Rotatory spout for convenient sink wash

MRP : ₹8,990/- (DC)



WALL MOUNTED SENSOR FAUCETS

MODEL : BP-F192C_{DC} / 195C_{AC}

Retrofit Sensor Faucet

Zero pressure valve for storage water cooler

Power : DC | AC (6V DC/ 220V AC)

Sensing Range Adjustable : 150mm

Safety shut off : 1 Minute

Work on ZERO water pressure only

Inlet/ Outlet : G1/2" (Dn15)

An easy to install hand wash sensor that is sleek and can be installed in any washbasin with wall mounted water pipe above it.

MRP : ₹6,490/- (DC) | ₹6,290/- (AC)



2 YEARS WARRANTY



2 YEARS WARRANTY

MODEL : COOLBUOY M

Battery Operated Retrofit Sensor Faucet

Specially Designed for Water Cooler with Storage Tanks


Power : DC (6V DC Alkaline Battery)

Sensing Range Adjustable : 400mm

Safety shut off : 1 Minute

Work on ZERO water pressure only

Inlet/ Outlet : G1/2" (Dn15)



COOLBUOY M is an extremely essential made in India product to stop virus spreads due to touching of manual faucets

MRP : ₹6,990/- (DC)

MODEL : BP-F171 (RECESSED)

Wall Mounted Sensor Faucet with Concealed Box

Power : DC (6V DC - 4X AA Size Alkaline)


Sensing Range Adjustable : 400mm

Safety shut off : 1 Minute

Working Water Pressure : 0.02Mpa-0.8Mpa

Inlet/ Outlet : G1/2" (Dn15)

Battery operated touchless tap with sensor present on SS PLATE



MRP : ₹9,850/- (DC)



2 YEARS WARRANTY

LONG BODY SENSOR FAUCETS




MODEL : BP-F302^{DC} / 305^{AC} / 307^{AC/DC}

Long Body Sensor Faucet for Table Top Wash Basins
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 100mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Sleek hidden mouth sensor at faucet
Opening for great user experience



MRP : ₹7,590/- (DC) | ₹7,390/- (AC) | ₹7,950/- (AC/DC)


MODEL : BP-F252^{DC} / 255^{AC} / 257^{AC/DC}

Long Body Sensor Faucet for Table Top Wash Basins
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Hidden bottom sensor for robust & sturdy use,
Perfect design for High Traffic

With 9 inch extension



MRP : ₹9,490/- (DC) | ₹9,290/- (AC) | ₹9,850/- (AC/DC)




MODEL : BP-F262^{DC} / 265^{AC} / 267^{AC/DC}

Basin Mounted Sensor Faucet
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)
Sensing Range Adjustable : 150mm
Safety shut off : 1 Minute
Working Water Pressure : 0.02Mpa-0.8Mpa
Inlet/ Outlet : G1/2 " (Dn15)

Stylish & sleek design with linear sensor,
Specially crafted for small to medium size basi

With 6 inch extension



MRP : ₹8,190/- (DC) | ₹7,990/- (AC) | ₹8,550/- (AC/DC)

MODEL : BP-F222_{DC} / 225_{AC} / 227_{AC/DC}

Long Body Sensor Faucet for Table Top Wash Basins
(Chromeplated Brass Metal Body)

Power : DC | AC | AC/DC (6V DC/ 220V AC)

Sensing Range Adjustable : 150mm

Safety shut off : 1 Minute


Working Water Pressure : 0.02Mpa-0.8Mpa

Inlet/ Outlet : G1/2" (Dn15)

Rotatory swan neck design with linear sensor,

Perfect design for High Traffic

With 6 inch extension



6"

MRP : ₹8,190/- (DC) | ₹7,990/- (AC) | ₹8,550/- (AC/DC)



*Basin not included

MODEL : BP-F412_{DC} / 415_{AC} / 417_{AC/DC}

Floor Mounted - Mouth Sensor Faucet

Chromeplated Brass Metal Body (Customized Model)

Power : DC | AC | AC/DC (6V DC/ 220V AC)

Sensing Range Adjustable : 100mm


Safety shut off : 1 Minute

Working Water Pressure : 0.02Mpa-0.8Mpa

Inlet/ Outlet : G1/2" (Dn15)

Eliminate sensor locating & tampering issues and gives smooth operation for great user experience

Can be customized as per site (4ft/5ft/6ft)



48 INCH

MRP : ₹17,690/- (DC) | ₹17,490/- (AC) | ₹18,050/- (AC/DC)



MODEL : BP-F312_{DC} / 315_{AC} / 317_{AC/DC}

Ceiling Mounted - Mouth Sensor Faucet

Chromeplated Brass Metal Body (Customized Model)

Power : DC | AC | AC/DC (6V DC/ 220V AC)

Sensing Range Adjustable : 100mm


Safety shut off : 1 Minute

Working Water Pressure : 0.02Mpa-0.8Mpa

Inlet/ Outlet : G1/2" (Dn15)

Eliminate sensor locating & tampering issues and gives smooth operation for great user experience


Can be customized as per site (4ft/5ft/6ft)




*Basin not included

MRP : ₹19,190/- (DC) | ₹18,990/- (AC) | ₹19,550/- (AC/DC)





AUTOMATIC/MANUAL SOAP/SANITIZER DISPENSER



www.bharatphoton.com

INFRARED SENSOR

Infrared sensor provides you a sanitary, no-touch and easy-to-use experience.



Infrared sensor



Wall-Mounted



 YouTube

**SOAP/SANITIZER
DISPENSERS**

Automatic / Manual SOAP/SANITIZERS DISPENSERS

- Superlatively designed to **ERADICATE SPREAD OF GERMS** due to use of common soap in public places
- **STYLISH & PRESTIGIOUS** look adds to the beauty of the washroom
- Ergonomics to attain **EASE OF USE**
- Materials chosen specifically for **DURABILITY & PERFORMANCE**
- Essential for Green Buildings & **REDUCES CARBON FOOTPRINT**


AUTOMATIC SOAP/SANITIZER DISPENSERS



MODEL : BP-ASA-105 (DROP TYPE)

Battery Operated Automatic Soap Dispenser
6V DC - 4X AA Size Alkaline Batteries

Material : Polycarbonate ABS
Storage Capacity : 500ml
Sensing Range : 8-10cm
Dispense Volume : 0-5ml



Lock the whole device by one key on action.
Rubber sealing on battery compartment prevent from
Splashing water into the device


MRP : ₹4,590/- (DC)



MODEL : BP-HSA-225N/225S (DROP/SPRAY)

Battery Operated Automatic Disinfecting
Soap/Sanitizer Dispenser

Material : Polycarbonate ABS
High Storage Capacity : 1000ml
Sensing Range : 8-10cm
Dispense Volume : 1.5ml
Power : 4 AA batteries (Included)



The anti-theft lock is simpler, designed for public places to
prevent children from accidentally touching


MRP : ₹6,390/- (DC)



MODEL : BP-HSA-222N/222S (DROP/SPRAY)

Battery Operated Automatic Disinfecting
Soap/Sanitizer Dispenser

Material : Polycarbonate ABS
High Storage Capacity : 1000ml
Sensing Range : 8-10cm
Dispense Volume : 2ml
Power : 4C-type Battery or
6 volt 1 Ampere DC Adapter



Reduced wastage making it hassle free and economical

MRP : ₹4,790/- (DC) | ₹4,970/- (AC/DC)
AC/DC Adapter on demand




MODEL : BP-ASS-122

Battery Operated Automatic Disinfecting
Soap Dispenser

Material : Stainless Steel Casing
High Storage Capacity : 800ml
Sensing Range : 8-10cm
Dispense Volume : 2ml

Translucent level window
Highly durable body with dashing looks
& performance

MRP : ₹8,990/- (DC)



6 MONTHS WARRANTY



1 YEAR WARRANTY


MODEL : BP-HSA-666 (SPRAY TYPE)

Electrically Operated Automatic Sanitizer Dispenser
Electric Power Adapter Input : 220V AC Supply

Material : Polycarbonate ABS
High Storage Capacity : 12 Ltr.
Sensing Range : 8-10cm
Fully Automatic & Touchless Use

NO TOUCH DESIGN - FOR VERY HIGH TRAFFIC
Help to reduce transmission of germs
Transparent tank for sanitizer

MRP : ₹14,590/- (AC)




MODEL : BP-HSA-283 (SPRAY TYPE)

Electrically Operated Automatic Sanitizer Dispenser
Electric Power Adapter Input : 220V AC Supply

Material : Stainless Steel (304 Grade)
High Storage Capacity : 2000ml
Sensing Range : 8-10cm
Fully Automatic & Touchless Use

Heavy duty S.S. Body with
base for prolonged life

MRP : ₹29,990/- (AC)



1 YEAR WARRANTY



6 MONTHS
WARRANTY

MODEL : BP-MSA-631

MRP : ₹1,890/- (1000ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-141

MRP : ₹1,890/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-143

MRP : ₹5,490/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-131

MRP : ₹1,690/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-132

MRP : ₹2,990/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-133

MRP : ₹4,490/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSS-531/431

MRP : ₹2,590/- (1000ML)

MRP : ₹2,190/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSS-331/231

MRP : ₹2,390/- (1000ML)

MRP : ₹1,990/- (500ML)



6 MONTHS
WARRANTY

MODEL : BP-MSA-531





MRP : ₹1,490/- (500ML)

AUTOMATIC AIR FRESHENERS (FRAGRANCE DISPENSERS)

AUTOMATICALLY SPRAY FRAGRANCE INTO ROOM TO PURIFY AIR AND REMOVE SMELLY ODOR

AUTOMATIC AIR FRESHNER FRAGRANCE DISPENSER

Stylish design clubbed with performance

-  2 X D Size batteries
-  5/10/15/20/25 Minutes
-  Polycarbonate ABS
-  Day/ Night/ 24 Hours



MODEL : BP-FAA-211


MRP : ₹2,690/-

MODEL : BP-FAA-212


MRP : ₹2,890/-

MODEL : BP-FAA-311

MRP : ₹2,390/- (With Remote)



AUTOMATIC HAND DRYERS



www.bharatphoton.com

HAND DRYERS
SPEEDY TECHNOLOGY
FASHIONABLE YET ELEGANT AESTHETIC DESIGN





 YouTube

HAND DRYERS

Automatic HAND DRYERS SPEEDY TECHNOLOGY

- **DESIGNED TO AUTOMATICALLY DRY HANDS** through a stream of hot air as soon as one puts his/her hands under the machine
- An essential & dependable component in every washroom to **MAINTAIN PROPER HYGIENE AS IT REPLACES CONVENTIONAL TOWELS**
- **REDUCES CARBON FOOTPRINT** by eliminating the use of paper towels
- **SAVES OPERATIONAL COSTS** by more than 90 %
- Our range of High Speed & Jet Hand Dryers **REDUCES POWER CONSUMPTION** by 80 % as compared to regular models, and saves big amount of money as compared to use of paper towels
- World class designs which are not only attractive & stylish but are equally **ROBUST AND MAINTENANCE FREE** for rigorous conditions like in India
- A product that truly **CONFORMS TO GREEN BUILDING NORMS**


MODEL : BP-HD-923

Polycarbonate ABS casing Hand Dryer
Low noise & low energy consumption

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >15 m/s
- Auto Cut Off : 60 seconds
- Drying time: <15 Seconds
- Power Variable : 1,800 W

Fashionable yet elegant aesthetic design than
Enhances the beauty of your place

MRP : ₹5,390/- (AC)



1 YEAR WARRANTY



1 YEAR WARRANTY


MODEL : BP-HD-971S (WHITE)

Polycarbonate ABS casing Hand Dryer
With Blue LED lights

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >15 m/s
- Auto Cut Off : 60 seconds
- Drying time: <15 Seconds
- Power Variable : 2,000 W

Blue LED lights on the front panel that adds to the
aesthetic appeal

MRP : ₹6,690/- (AC)





MODEL : BP-HD-971B (BLACK)

Polycarbonate ABS casing Hand Dryer
With Blue LED lights

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >15 m/s
- Auto Cut Off : 60 seconds
- Drying time: <15 Seconds
- Power Variable : 2,000 W

Blue LED lights on the front panel that adds to the
aesthetic appeal

MRP : ₹6,790/- (AC)



1 YEAR WARRANTY

AUTOMATIC HAND DRYERS



1 YEAR WARRANTY


MODEL : BP-HDS-605

Highly attractive low cost
Stainless Steel Hand Dryer

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >12 m/s
- Auto Cut Off : 60 seconds
- Drying time: <12 Seconds
- Power Variable : 2,300 W

Strong air flow with rotatory air spout
Attractive & robust stainless steel body

MRP : ₹15,990/- (AC)




MODEL : BP-HDS-610

Highly attractive low cost
Stainless Steel Hand Dryer

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >12 m/s
- Auto Cut Off : 60 seconds
- Drying time: <12 Seconds
- Power Variable : 1,500 W

Cost effective model in SS 304 body
Attractive & robust stainless steel body

MRP : ₹11,890/- (AC)



1 YEAR WARRANTY


MODEL : BP-HDM-304

Highly attractive low cost
M.S. Body in SS Finish Hand Dryer

- Material : M.S. body in SS finish
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >12 m/s
- Auto Cut Off : 60 seconds
- Drying time: <12 Seconds
- Power Variable : 1,800 W

Cost effective model in MS body
Attractive & robust stainless steel body

MRP : ₹8,290/- (AC)



1 YEAR WARRANTY

MODEL : BP-HLA-981


JET Hand Dryer

Aesthetically designed, Jet high speed

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : 95 m/s
- Auto Cut Off : 60 seconds
- Drying time: 5~7 Seconds
- Power Variable : 1,200 - 1,800 W

Highly energy efficient as compared to conventional models

MRP : ₹50,990/- (AC)



W300 X D190 X H650 MM



W234 X D144 X H390MM

MODEL : BP-HD-951


Polycarbonate ABS casing

Automatic Airblade Jet Hand Dryer

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >95 m/s
- Auto Cut Off : 60 seconds
- Drying time: 5~7 Seconds
- Power Variable : 1,200 W

Power accurately reduce the flow of air to light machines, bringing more power

MRP : ₹12,990/- (AC)



MODEL : BP-HD-951B (BLACK)


Polycarbonate ABS casing

Automatic Airblade Jet Hand Dryer

- Material : Polycarbonate ABS
- Rated voltage: 220V AC
- Rated frequency: 50 / 60 Hz
- Air Speed : >95 m/s
- Auto Cut Off : 60 seconds
- Drying time: 5~7 Seconds
- Power Variable : 1,200 W

Power accurately reduce the flow of air to light machines, bringing more power

MRP : ₹12,990/- (AC)



W234 X D144 X H390MM

HIGH SPEED HAND DRYERS




1 YEAR WARRANTY

MODEL : BP-HDS-612

High speed Hand Dryer
Energy efficient with a long life motor

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Noise Level : 75dB (at 2 meter)
- Air Speed : 110 m/s
- Auto Cut Off : 60 seconds
- Drying time: <12 Seconds
- Power : 1,000 W



The Mini powerful vertical shape ensures the hand dryer can be sited in narrower, smaller bathrooms where wall space is limited.

MRP : ₹13,490/- (AC)


MODEL : BP-HDS-611

High speed Hand Dryer
Energy efficient with a long life motor

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Noise Level : 75dB (at 2 meter)
- Air Speed : 110 m/s
- Auto Cut Off : 60 seconds
- Drying time: <12 Seconds
- Power : 1,000 W

Energy efficient with a long life motor
Attractive & robust SS body

MRP : ₹13,490/- (AC)



1 YEAR WARRANTY


MODEL : BP-HDS-710

High speed Hand Dryer
Energy efficient with a long life motor

- Material : Stainless Steel 304 Grade
- Rated voltage: AC 220-240V
- Noise Level : 72dB (at 2 meter)
- Auto Cut Off : 60 seconds
- Drying time: 10 Seconds
- Air Speed : 85m/s
- Total Power Variable : 400W/ 950W

Super slim, Stylish design - Only 10cm deep
Space-saving design

MRP : ₹17,290/- (AC)



1 YEAR WARRANTY


MODEL : BP-HDS-720

High speed Hand Dryer
Energy efficient with a long life motor

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Noise Level : 75dB (at 2 meter)
- Air Speed : 95 m/s
- Auto Cut Off : 60 seconds
- Drying time: 5~7 Seconds
- Power Variable : 400-950 W

Energy efficient with a long life motor
Attractive & robust SS body

MRP : ₹18,990/- (AC)




MODEL : BP-HDS-802

High speed Hand Dryer
Diamond cut- Stainless Steel (304)

- Material : Stainless Steel 304 Grade
- Rated voltage: 220V AC
- Noise Level : 76dB (at 2 meter)
- Air Speed : 115 m/s
- Auto Cut Off : 60 seconds
- Drying time: 5~7 Seconds
- Total Power Variable : 600W/ 1,800W

Energy efficient, Thermal cut off above 95° C
Attractive & robust SS body


MRP : ₹17,990/- (AC)




**AUTOMATIC
OPERATION**




**EASY
INSTALLATION**





AUTOMATIC/MANUAL TISSUE PAPER DISPENSERS



www.bharatphoton.com



Bharat Photon®



Faint, illegible text on a white rectangular card or paper placed in front of the box.



Bharat Photon[®]
where sensors mean  'India'



TISSUE PAPER DISPENSERS & TOILET ROLL DISPENSERS


- Ergonomics to attain **EASE OF USE**
- **STYLISH & PRESTIGIOUS LOOK** adds to the beauty of your washroom
- Materials chosen specifically for **DURABILITY & PERFORMANCE**
- Essential for Green Buildings as they **REDUCE CARBON FOOTPRINT** when compared to conventional products

MODEL : TSA-621

Multifold Tissue Paper Dispenser
Black Color

Material : Polycarbonate ABS
Mounting Type : Wall Mount
Paper Type : C-Folded, M-Folded
Large Capacity : 300-400 Tissues

Healthy and Eco-friendly.
Hygienic, Anti corrosion, Attractive and durable.



MRP : ₹2,290/-




MODEL : BP-TSA-621W

Polycarbonate ABS Body
Multifold Tissue Paper Dispenser

Material : Polycarbonate ABS
Mounting Type : Wall Mount
Style : Modern Design
Capacity : Single Roll Wall Mount

Modern stylish
Water proof shell keep paper dry in case of getting wet




MRP : ₹2,290/-

MODEL : BP-TDC-603

Recessed Stainless Steel
Toilet Paper Holder

Material : Stainless Steel Casing (304)
Mounting Type : Recessed
Innovative Design: Our toilet paper holder features an internal mounting design that keeps screws hidden, creating a seamless and elegant look.

Toilet Roll Holder Wall Mounted waterproof recessed wall mount
chrome finish with cover



MRP : ₹1,920/-

MANUAL TISSUE PAPER/ TOILET PAPER DISPENSERS



MODEL : BP-TDJ-604

Stainless Steel

Jumbo Roll Dispenser

Material : Stainless Steel (304)

Mounting Type : Wall Mount

Style : Lockable Design


Capacity : Single Roll Wall Mount

Healthy and Eco-friendly.

Hygienic, Anti corrosion,

Attractive and durable.

MRP : ₹4,390/-



MODEL : BP-TDA-605

Wall Mounted Jumbo Roll

Toilet Paper Dispenser

Material : Polycarbonate ABS

Mounting Type : Wall Mount


Style : Modern Design

Capacity : Single Roll Wall Mount

Healthy and Eco-friendly.

Hygienic, Anti corrosion, Attractive and durable.

MRP : ₹2,290/-



MODEL : BP-TDM-604

Toilet Paper Roll Holder

Material : Chromeplated Brass


Mounting Type : Wall Mount

Style : Elegant Design

Capacity : Single Roll Wall Mount

Elegant design with a chrome finish that adds a touch of elegance to your bathroom.

MRP : ₹2,020/-



MANUAL / AUTOMATIC

TISSUE PAPER DISPENSERS

MODEL : BP-TSS-628

Stainless Steel

Tissue Paper Dispenser

Material : Stainless Steel Casing (304)

Mounting Type : Wall Mount


Paper Type : C-Folded, M-Folded

Large Capacity : 300-400 Tissues

The dispenser has a durable shell and is a long-lasting product.

It is resistant against moisture and corrosion.

MRP : ₹3,990/-



MODEL : BP-TPA-611

Automatic Autocut

Tissue Paper Dispenser

Material : Polycarbonate ABS

Power : 220V AC/ 6VDC

Touchfree Infrared Sensor


Paper roll size : 195-200mm

Dia = <200mm

One tissue at a time dispenser

Push button and sensor operation, Infrared induction, Automatic paper out

MRP : ₹12,990/- (One set paper roll included)



MODEL : BP-TSS-629

Stainless Steel

Tissue Paper Dispenser

Material : Stainless Steel Casing (304)

Mounting Type : Wall Mount


Paper Type : C-Folded, M-Folded

Large Capacity : 300-400 Tissues

The dispenser has a durable shell and is a long-lasting product.

It is resistant against moisture and corrosion.

MRP : ₹3,690/-







Bharat Photon®
where sensors mean  'India'



BODY OPERATED HYGIENE TAPS/ SCRUB/RECESS PANELS/ AUTOMATIC TRASH CAN

- Designed to **AUTOMATE THE PROCESS OF HAND / OBJECT WASHING** in highly sensitive areas such as in O.T.'s, Food Processing Units, Modern Kitchens, etc. such that the productivity is multiplied in a professional manner without compromising on hygiene & resource management
- Ergonomics to attain ease of use and their stylish & prestigious look
ADDS TO THE AESTHETICS OF THE FACILITY
- Essential for Green Buildings & **REDUCES CARBON FOOTPRINT**

AUTOMATIC SCRUB PANELS




MODEL : BP-ATX1 (WITH TIMER)

Automatic panel for Hospital scrub

- Input : 220 V AC
- Output : Through solenoid valve
- Three digits wide display for Down Timer Of 0:00 to 9:59 minutes
- Water flow activated through sensor or start button
- Programmable stop duration upto 9 minutes 59 sec.

Also available in 12V/24V motor


MRP : ₹10,590/- (WITH TIMER)



MODEL : BP-ATX2 (W/O TIMER)

Automatic panel for hospital scrub

- Input : 220 V AC
- Output : Through solenoid valve
- Sensing range : 250mm (Adjustable)
- Water flows for duration when hand is in front of sensor
- Ergonomics to attain ease of use and their stylish & prestigious look adds to the aesthetics of the facility



MRP : ₹7,990/- (WITHOUT TIMER)



BODY OPERATED HYGIENE TAPS

MODEL : BP-F501

Mechanical foot operated tap system

- Chromeplated solid brass metal body
- 1/2 inch inlet/outlet orifice for water pipeline
- Robust foot pedal for release of water
- Heavy duty design for long life

High tensile strength of spring.

MRP : ₹4,790/- (W/O ACCESSORIES)
₹6,090/- (WITH ACCESSORIES)



W170 MM X H150MM



MODEL : BP-F502

Electronic foot operated tap system

- Includes soft peddle switch along with control box with valve
- 1/2 inch Inlet/ Outlet orifice for Water Pipeline
- 220 V AC Operated

A lifetime product that's always repairable & does not have permanent wear & tear as compared to mechanical system

MRP : ₹4,990/-



MULTI-FUNCTIONAL RECESS PANELS

PREMIUM FINISH SPACE SAVING SOLUTION

**SMART WASHROOM RECESSED PANELS
THAT SAVE CONSIDERABLE AMOUNT OF SPACE &
DELIVER MULTI FUNCTIONAL UTILITIES IN A PROFESSIONAL
WAY WITH STYLE & PERFORMANCE**



MODEL : BP-RPS-513

- Tissue Paper Dispenser + Waste Receptacle
- W310 x L1200 x H140mm

MRP : ₹51,990/-



MODEL : BP-RPS-523

- Hand Dryer + Tissue Paper Dispenser + Waste Receptacle
- W310 x L1650 x H160mm

MRP : ₹80,990/-



- Stylish & prestigious look adds to the beauty of your washroom
- Made of Stainless Steel 304 Grade specifically for Durability & Performance
- Essential for Green Buildings as they Reduce Carbon Footprint as compared to conventional products

MOTION SENSOR AUTOMATIC TRASH CAN

RUGGED RELIABILITY FOR HIGH-TRAFFIC WASHROOMS




BP-ATC-581
Battery Operated
Automatic Trash Can

Product Features ►►

- Automatic motion sensor trash bin for hands free and efficient waste disposal
- Design: The Smart Bin is germ-resistant and controls odour better. No more smelly trash!
- Perfect Size: Any small trash bag fits in the 8 L Smart Bin and is perfect for your bathroom, bedroom, dressing room, kitchenette, living room, etc.
- Touchless mechanism: Just the motion of your hand opens the lid automatically

Technical Specification ►►

- Sensor Type : Infra-red Motion Sensor
- Materials : Stainless steel & ABS Plastic
- Finished : Brushed
- Size : 225x340mm
- Color : Silver
- Capacity : 8L
- Power : DC 6V (The 4psc AAA batteries not included)



**Innovative HYGIENIC
and Convenient**

MRP : ₹7,790/- (DC)



TWILIGHT SWITCH, GRAB BARS/
SAFETY RAILS FOR DISABLED,
AUTOMATIC SHOE SHINER,
SANITARY NAPKIN VENDING,
INCINERATOR MACHINE



TWILIGHT SWITCH, GRAB BARS, SAFETY RAILS FOR DISABLED & AUTOMATIC SHOE SHINER/ SANITARY NAPKIN VENDING/ INCINERATOR MACHINE

1 YEARS WARRANTY



BP-TS-106 (NATURE SWITCH)
TWILIGHT SWITCH ABS PLASTIC

- Load rating 6 Amp

MRP : ₹1,990/-

1 YEARS WARRANTY



BP-TS-116
TWILIGHT SWITCH MS BODY

- Load rating 16 Amp

MRP : ₹3,090/-

1 YEARS WARRANTY

300MM | 600MM | 900MM
STAINLESS STEEL 304 GRADE



BP-GBS-412
DISABLED GRAB BAR
STRAIGHT HANDRAIL

**MRP : ₹3,490/- (300mm)
₹3,690/- (600mm)
₹3,990/- (900mm)**

1 YEARS WARRANTY



BP-GBS-412L
L TYPE HANDRAIL
SS 304 GRADE

MRP : ₹11,290/-

1 YEARS WARRANTY



BP-GBS-414T
T TYPE HANDRAIL
SS 304 GRADE

MRP : ₹13,590/-

1 YEARS WARRANTY

STAINLESS STEEL 304 GRADE
FULL 90 DEGREE SWING



BP-GBS-411
DISABLED GRAB BAR
SWING TYPE

MRP : ₹12,490/- (300MM)

1 YEARS WARRANTY



BP-SSM-419
SHOE SHINER MACHINE

MRP : ₹12,990/-

1 YEARS WARRANTY



BP-SVM-50
SANITARY NAPKIN
VENDING MACHINE

MRP : ₹29,590/-

1 YEARS WARRANTY



BP-SIM-50
SANITARY NAPKIN
INCINERATOR

MRP : ₹23,590/-



Bharat Photon®
where sensors mean  'India'



Automatic WATER LEVEL CONTROLLERS/ INDICATOR (PHOTRON SERIES)

- Designed and manufactured in India to **SAVE WATER RESOURCE CONVENIENTLY**
- An **ESSENTIAL & DEPENDABLE COMPONENT** in every household/industry to save water
- **USED IN RENOWNED ESTABLISHMENTS** like complexes, Houses, Apartments, Food Processing Units, etc.
- A true Indian Product that **CONFORMS TO GREEN BUILDING STANDARDS**
- Reduces carbon footprint & **SAVES CONSIDERABLE AMOUNT OF OPERATIONAL COSTS AS COMPARED TO MANUAL TAPS**

AUTOMATIC WATER LEVEL CONTROLLERS/ INDICATORS (PHOTRON SERIES)



MODEL : BP-PC-01

Automatic Water Level Controller
Single Phase (220V AC)

- Automatic motor ON/OFF
- Fully automatic pump controller
- Automatic control of motor ensures water level is maintained in tank

MRP : ₹5,190/-

1 YEAR WARRANTY



MODEL : BP-PC-03

Automatic Water Level Controller
Three Phase (220V AC)

- Automatic motor ON/OFF
- Fully automatic pump controller
- Automatic control of motor ensures water level is maintained in tank

MRP : ₹8,290/-

1 YEAR WARRANTY



MODEL : BP-PC-04

Manual ON Automatic OFF
Water Level Controller

- Manual Switch ON the motor after confirming water presence at inlet
- Motor Switched OFF automatically when water level is full in the tank

MRP : ₹4,990/-

1 YEAR WARRANTY



MODEL : BP-PC-05

Wireless Automatic
Water Level Controller (220V AC)

- Easy to install as wiring is not needed
- One main motor unit & one transmitter unit for over-head tank
- Automatic control of motor ensures water level is maintained in tank

1 YEAR WARRANTY

MRP : ₹13,590/-



MODEL : BP-PC-06

Submersible Pump Controller (1.5 HP)
With Inbuilt Starter Panel

- Designed and manufactured in India to save water resource Conveniently

1 YEAR WARRANTY

MRP : ₹10,990/-

* Wiring & Installation charges extra




AUTOMATIC SLIDING DOOR SYSTEM

- Automatic opening and closing of your sliding door provides convenience, hygiene & elegance in daily usage and is absolutely hassle-free and labour saving.
- The system of using the double door locked each other eliminates the better air spilling out, avoids the crossed infection, reaches to the requirement of the airproof and has the best effect of sound insulation for the privacy you need.
- The system is designed using the novel construction design, applying the new material, which avoids bringing out resonance conduction in the running of the door bodies, and ensures maintaining a silent environment.

AUTOMATIC SLIDING DOOR SYSTEM

- The BPE powerful automatic door system is controlled by the intelligent microcomputer which optimize all the operating functions that ensures maintenance of best performance every time the system is in use.
- The set has optional safety sensor that avoids hurting person. It automatically senses the presence of any object between the doors and halts the closing until the object is present. The optional motor electronic lock function ensures the advanced safety guard to protect your premises from thefts.
- The exceeding powerful DC non-brush has dynamo of low-yawn, large power and long life. The robust driver equipment ensure running of door body more steadily & reliably.
- Automatic opening and closing of your sliding door provides convenience, hygiene & elegance in daily usage and is absolutely hassle-free and labour saving.



BPE MICRO - COMPUTER CONTROLLED SENSOR OPERATED SLIDING SYSTEM FOR UPTO 200 KG SINGLE DOOR AND 150 KG X 2 DOUBLE DOORS - DC 12 V 35 W BRUSH LESS MOTOR DRIVEN CHANNEL ALONGWITH TWO MICROWAVE SENSORS



*Price on request

- 1. Micro-computer control system
- 2. DC brushless motor
- 3. All purpose hanging bridge
- 4. Guide way shell
- 5. Strap tension pulley parts
- 6. Synchro belt

- Current Voltage: AC 220V, 50-60Hz
- Opening Speed: 250~550 mm/s (Adjustable)
- Open Time: 2-20s (Adjustable)
- Lock in force: >100N

- Closing Speed: 250~550 mm/s (Adjustable)
- Showing Speed: 30~100 mm/s (Adjustable)
- Artificial Pushing Power: <60N
- Whole consuming power: <150W

PARTS



Micro Controller
Computer



Motor



All Purpose Hanging
Bridge



Door Clips & Bottom
Guide



Microwave Sensor
(24 Ghz)



Microwave Sensor
(10 Ghz)

MODEL : AD-111

₹1,32,990/-

ACCESSORIES

ACCESSORIES



BATTERY BOX

INR : ₹390/-



AC/DC ADAPTER

INR : ₹590/-



SENSOR PLATE X9X

INR : ₹5090/-



SENSOR PLATE X0X

INR : ₹3595/-



SENSOR PLATE X1X

INR : ₹3595/-



SENSOR PLATE XU

INR : ₹3295/-



SENSOR PLATE X2X

INR : ₹3195/-



SENSOR PLATE X4XS

INR : ₹3995/-



SENSOR PLATE WC - BUTTON

INR : ₹4295/-

ACCESSORIES

Bharat Photon[®]
where sensors mean 'India'



TRANSFORMER (AC)

INR : ₹590/-



FLOW CONTROL (SCREW)

INR : ₹495/-



L : 230MM

BRAIDED / SS PIPE

INR : ₹250/-



SWIVEL COUPLING (SMALL)

INR : ₹350/-



**CONCEALED
ACCESSORIES SET**

INR : ₹590/-



**SOLENOID VALVE (1/2")
6V DC-BRASS**

INR : ₹4595/-

Height adjustable from 26" -45"



**MODEL : BP-FS225S
PORTABLE STAND**

INR : ₹5,590/-



SENSOR PLATE X2XM

INR : ₹3,495/-



**SOLENOID VALVE 14MM
6V DC BRASS (FOR WC)**

INR : ₹4,090/-

ACCESSORIES



**SOLENOID VALVE (1/2")
220V AC -TEFLON**

INR : ₹2095/-



**SOLENOID VALVE (1/2")
12V DC -TEFLON**

INR : ₹2195/-



**SOLENOID VALVE (1/2")
6V DC -TEFLON**

INR : ₹2795/-



**CONTROL UNIT
SENSOR TAP (6V DC)**

INR : ₹4595/-



**CONTROL UNIT
SENSOR TAP (6V DC)**

INR : ₹4595/-



**CONTROL UNIT
SENSOR TAP (6V DC)**

INR : ₹5095/-

5 PIN



**SENSOR EYE LEAD
XQ (LINEAR SENSOR)**

INR : ₹2,295/-



**SENSOR EYE LEAD
XM (MOUTH SENSOR)**

INR : ₹2,295/-

4 PIN



**SENSOR EYE LEAD
XP (LINEAR SENSOR)**

INR : ₹2,295/-



Our People, Our Pride

THE TIMES WHEN OUR HANDS
SERVED HUMANITY IN UNISON



IMAGES

State of the art. Production unit/ Bharat Photon Staff.



WHY CHOOSE

ELECTRICAL SENSOR FAUCETS & SENSOR FLUSHERS OVER BATTERY OR AC/DC ONES THREE TYPES OF HYGIENE SENSORS WITH THEIR FEATURES, PROS & CONS

ELECTRICALLY OPERATED	BATTERY OPERATED	BATTERY + ELECTRIC
(220 V AC OPERATED)	(6 V DC OPERATED-4XAA cells)	(AC/DC OPERATED)
FEATURES They use pure Electrical Diaphragm Solenoid Valve generally operated on 220 V AC or 12 V DC This type of valve is a NC (Normally Closed) Valve which is open for the period in which continuous rated supply is provided. That means it needs a continuous power to open and as soon as power is cut, it is closed automatically	FEATURES They use Magnetically Latching Pulse type Diaphragm Solenoid Valve operated on 6 V DC only This type of valve is a NC/NO Latching Pulse Valve which needs a forward pulse to open it where it gets latched & remains open without any power required. To close it a negative pulse is again required that de-latches it from ON position & latches it again to OFF position	FEATURES They use Magnetically Latching Pulse type Diaphragm Solenoid Valve operated on 6 V DC only This type of valve is a NC/NO Latching Pulse Valve which needs a forward pulse to open it where it gets latched & remains open without any power required. To close it a negative pulse is again required that de-latches it from ON position & latches it again to OFF position
PROS It can handle much more water impurities and dust particles as it is composed of heavy mechanical parts (diaphragm, piston, spring, etc.) that are designed with no power economy in consideration. This means a very less frequency of servicing is required	CONS It has limited water impurities handling capabilities as it is composed of lighter mechanical parts (diaphragm, piston, spring, etc.) that are designed to operate with power economy in consideration. This means higher frequency of servicing is required as compared to electrical valve	CONS It has limited water impurities handling capabilities as it is composed of lighter mechanical parts (diaphragm, piston, spring, etc.) that are designed to operate with power economy in consideration. This means higher frequency of servicing is required as compared to electrical valve
PROS These are Install & Forget Systems with no battery replacement hassles with diminished service requirements. Hence their operation cost is very low as they consume negligible power and can run excellently on power backups like generators or invertors	CONS They need to replace battery after a certain period of time which increase the operational cost and battery replacement hassles	CONS If operated with battery as main source or backup, they need to replace battery after a certain period of time which increase the operational cost and battery replacement hassles If operated on AC alone, system operates battery valve with the help of built in AC/DC adaptor, that means neither key feature of battery used, nor the robustness of AC system availed
PROS As they use a valve which requires continuous power, it can never malfunction to continuous running water	CONS As they use a valve which is a latch valve, they are prone to erroneous open latch condition resulting in continuous running water in case of circuit malfunction or power failure	CONS As they use a valve which is a latch valve, they are prone to erroneous open latch condition resulting in continuous running water in case of circuit malfunction or power failure
CONS Electrical wiring is mandatory for 220 V AC operated sensors to operate which means they are ruled out for places where AC wiring cannot be done	PROS Their non-dependence on AC wiring makes them convenient to install for most of the applications	PROS They provide the flexibility to either operate on AC power alone or batteries alone or both where system will work on AC & will shift on DC in case of power failure

DO YOU KNOW??

The people who have electrical point, they connect through electricity (ac) & the people who don't have electrical point on-site, they connect their sensor taps with only battery (dc).
Whereas only 4% sensor tap users, connects their sensor taps with both electrical (ac) & battery (dc).

Clientele BUSINESS NETWORK

Just express your requirement and our prompt team will take care of the rest.
We are having more than **5000 global clients**.

Your urinal **don't** need **manual flush valve** !

Do you know its un-hygienic & never used ??

Acc to a research only 4.8% of users touch manual flush valve in a public washroom

Choose right companion for your urinal pot

FlushbuoyTM
by Bharat Photon
The right of every urinal

designed to **A D A P T**
designed to **P E R F O R M**
designed for **L I F E T I M E**



FLUSHES
AUTOMATICALLY



ZERO USER
DEPENDENCY



ADAPTIVE SENSOR
FOR ROBUST USE



MAINTAINS HYGIENE
WITH NO GERMS & ODOUR



RECOVERS COST
BY SAVING WATER



A GREEN PRODUCT
PROUDLY MADE IN INDIA

Bharat Photon[®]
where sensors mean 'India'
www.bharatphoton.com



EASY TO INSTALL



WARRANTY



NO WIRING
REQUIRED

**"Think different
Think Indian
Call now."**



**SENSOR HELPLINE
1800 121 6254**

If you think sensors don't work, we will prove you wrong.

NOTES

Notes:

- ▶ BHARAT PHOTON has an ongoing policy of design, development, and improvement and thus reserves the right to modify specifications and prices without any prior notice.
- ▶ All prices are inclusive of GST.
- ▶ The picture may not represent actual product.
- ▶ Please note that product picture shown and description mentioned alongside might not match in some places.
- ▶ Warranty of the product will become null and void if the installation is not done as recommended and/or if not done by qualified technicians.
- ▶ The colours of ceramic/plastic/stainless steel products and those of printing inks do not match exactly.
- ▶ Therefore, colour selection may be done from actual products.
- ▶ We do not accept responsibility for any error or omission.



Redefining sensor technology since 1983



BPE INNOVATIONS PVT. LTD.

ADD : A-23/19, Site-IV, Sahibabad Industrial Area,
Ghaziabad (UP) - 201010

W : www.bharatphoton.com | E : enq@bharatphoton.com

TollFree : 1800 121 6254

Note : Due to continuous R&D designs and specifications are subject to change without any prior notice.

© Copyright by BHARAT PHOTON



ver : 3.0 20232411



**INDIA'S NO.1
MANUFACTURER
OF HYGIENE
SENSORS**